P. O. BOX 128 - GARDINER, MAINE 04345 (207) 623-8506

The Viper Z-GRASS unit pluss into all of the following systems:

THE BALLY HOME LIBRARY COMPUTER

THE BALLY PROFESSIONAL ARCADE

THE BALLY COMPUTER SYSTEM

ASTROCADE PROFESSIONAL ARCADE COMPUTER

ASTROVISION PROFESSIONAL ARCADE COMPUTER

#### Z-GRASS THE LANGUAGE.

The Z-GRASS software includes these advanced functions:

- 1. A FULL SCREEN TEXT EDITOR FOR FAST EFFICIENT PROGRAM EDITING.
- 2. STRING MANIPULATION INCLUDING MATCH, CONCATENATION, REPLACEMENT.
- 3. PROGRAM EXECUTION IN BOTH INTERPRETED AND COMPILED MODES.
- 4. MULTI-DIMENSIONAL ARRAYS AND STRING ARRAYS.
- 5. USER CUSTOMIZATION OF LANGUAGE AT SEVERAL LEVELS.
- 6. ADVANCED GRAPHICS COMMANDS:

SHRINK, TEXT, ELLIPSE, SNAP, SHOW, ROTATE, SCALE, PATTERN, STRIPE, POINT.

- 7. 6 USER DEFINABLE KEYS FOR SPECIAL OR REPITITIOUS FUNCTIONS.
- 8. OVER THIRTY SPECIAL CONTROL KEY COMMANDS WITH MULTIPLE MODES.

This is only a partial list of all the commands that are included in the 3K of Z-GRASS software.It takes over 100 pages of the CASS of the CASS of the CASS over 100 pages of the CASS over 100 pages of the CASS over 100 pages over 1

P. O. BOX 128 - GARDINER, MAINE 04345 (207) 623-8506

#### DUAL RS232 COMMUNICATIONS PORTS.

The RS232-C dual channel communications ports allow your Vieer to communicate with the outside world. These ports can be used with a wide variety of the latest in communications equipment and both channels have indemendant programmable boud rates (300 to 38.4k baud) The following devices can be used with these ports.

- 1. PRINTERS, DOT MATRIX OR LETTER QUALITY.
- 2. BIT PAD GRAPHICS DIGITIZERS.
- 3. VOICE SYNTHESIZERS.
- 4. TELEPHONE HODEHS.
- 5. REMOTE APPLIANCE CONTROLLERS.
- 6. COMPUTER TERMINALS.
- 7. OTHER Z-GRASS COMPUTER SYSTEMS.
- 8. REMOTE KEYBOARDS.

#### HICROPROCESSOR CONTROLLED KEYBOARD

The Microerocessor controlled kewboard is a state of the art high seed date entry device. This unious kewboard features an 8 character buffer-remeat kewland sicroerocessor based multiple kew rollower functions with shantos kew lockutial; kews are debounced to prevent unwanted entries. The kewboard has 4 level codins standard DMENT arrandessort and the life expectancy were standard DMENT arrandessort and the life expectancy were kew is a 100 multiple standard DMENT arrandessort and the life expectancy were not the left on proper operation. The top row of kews have been customized for the Z-drass computer system wildling us fit that \$F\$ for the sweetial function kews and four arrow kews for the Z-drass computer system wildling the system of the property of the system of the property of the system of the s

P. O. BOX 128 - GARDINER, MAINE 04345 (207) 623-8506

#### ARITHMETIC PROCESSING UNIT.

The 8331 Arithmetic processor is an integral part of the high sweed smahling capabilities and is offered as an oution costing several hundreds of dollars on other computers systems. This chip alone increases the sweed of the athematical computations by uto several hundred times and is therefore essential in producing the real time responses needed for complex spanhings simulations.

#### FUNCTIONS:

- 1. FIXED POINT SINGLE AND DOUBLE PRECISION. (16/32 bit)
- 2. FLOATING POINT SINGLE PRECISION. (32 BIT)
- 3. FULL BINARY DATA FORMATS.
- 4. ADDITION, SUBTRACTION, MULTIPLICATION AND DIVISION.
- 5. TRIGONOMETRIC AND INVERSE TRIGONOMETRIC FUNCTIONS.
- SQUARE ROOTS, LOGARITHMS, EXPONENTIATION.
- 7. FLOAT TO FIXED AND FIXED TO FLOAT CONVERSIONS.
- B. STACK ORIENTED OPERAND STORAGE.

Fortunately all of the above mathematical formulas are executed transparently to the user and are completely controlled by the Z-drass software. This device has been manufactured using the most advanced N-Channel Silicon Gate Technology and therefore is extremely fast and reliable.

2000 BAUD DUAL CASSETTE INTERFACE WITH MOTOR CONTROLS.

The Dual 2000-Baud Cassette Interface is used to store and retrieve programs from a cassette recorder. The swstem includes 2 separate cassette prots with individual motor controls. Havind 2 separate swstem allows more complex functions to be easily executed. With the communic controlling the motors one cassette could be audio instructions while the other is load to the cassette to the complex controlling the motors of the cassette could be audio instructions while the other is load to be a load to use the cassette that the computer start and stop the cassettes to merse files or select audio or program data.

P. O. BOX 128 - GARDINER, MAINE 04345 (207) 623-8506

#### 5.25 4 CHANNEL FLOPPY DISK CONTROLLER.

The WBJ770% S.25 Florm Disk Controller/Formatter from Western Distall is the latest in flormy disk technolosw.This controller contains a distall data separator and write precomenation that the separator of the

#### POWER SUPPLY FEATURES.

transformer. This outlet will turn your Ballwistroade unit on and off with the Viere Zarsas unit. The front remel on/off suitch is illuminated for your convenience and is a good outlet reference to insure whether the swates is on or off.

Because low voltage and nower writes cent cause a commuter to account a community of the convergence of the converge

The system power sections include 1 switched 120v 3 prons srounded outlet on the back panel to be used for the Bally/Astrocade wall

#### AUDIO MIXING AND STERED DUTPUTS.

With the Wirer Z-mrass system you can use either your TV or your stereo sound system to listen to the sound effects of the music sunthesizer. You can also plaw your cassette recorder thru the TV or stereo system thanks to a special circuit in the Upper. With this unique flexibility you have complete voice and music capability for Computer faided Instruction. Adventure sames, and many

# ALTERNATIVE ENGINEERING CORP. P. O. BOX 128 - GARDINER, MAINE 04345 (207) 623-4506

other applications where high quality sound and programs can interact.